



"If you can imagine it, Nadco will make it Stick."

# 743 Photographic Masking Tape

#### TYPICAL APPLICATIONS

- > A versatile, reliable tape for use in photo studios, film processing laboratories, as well as in home dark rooms.
- > Recommended for use as a chart tape
- > Opaque, matte surface the "photographer's masking tape"
- Engineered expressly for quality photographic reproduction work cropping and edging negative for contact printing
- > Sealing camera bellow and film holders against light leaks

## **CONSTRUCTION**

Overall Grade/Function: Photographic masking tape

Backing: Impregnated paper Adhesive: Synthetic rubber

#### **ADVANTAGES AND BENEFITS**

- > An opaque black, matte finish surface ensures the light-free masking required for high quality photo reproduction
- > High quick stick and adhesion
- > Easy, consistent unwind
- > High conformability
- > Can be teared by hand

## COLOR(S)



Black matte (BLK)

## STANDARD WIDTH(S)

24 mm 48 mm

#### STANDARD LENGTH(S)

55 m

## **PHYSICAL PROPERTIES**

	STANDARD	METRIC
Tensile Strength	23 lbs/in width	40.2 N/10mm
Adhesion to Stainless Steel	47 oz/in width	5.14 N/10mm
Thickness	7 mils	0.17 mm
Elongation	11 %	11 %
Service Temperature Range	45°F to 150°F	7°C to 66°C

Physical and performance characteristics shown above are obtained from tests recommended by PSTC, ASTM, government agencies or NADCO® Tapes & Labels, Inc. Quality Assurance and Technical Service Departments and do not represent a guarantee of product performance. Individual rolls may vary slightly from these averages. The user should determine whether the product is fit for a particular purpose and is suitable for the user's method of application before use.

#### APPLICABLE STANDARDS

ASTM D6123/D6123M -07, Type 1

## **STORAGE & USAGE CONDITIONS**

Tape should be stored in its original packaging in a cool, dry area away from direct sunlight and should be used within 12 months of date of shipment. Surfaces to which tape is applied should be clean, dry and free of grease, oil or other contaminants.